| | Туре | Hits | Search Text | DBs |
|-----|-------|--------|--|---------------------------------------|
| 1 | BRS | 9179 | tensile near modulus | USPAT; EPO; JPO; DERWENT USOCR |
| 2 | BRS | 133412 | 2 elasticity | USPAT; EPO; JPO; DERWENT; USOCR |
| 3 | BRS | 4043 | ethylene near ethyl near acrylate | USPAT; EPO; JPO; DERWENT; USOCR |
| 4 | BRS | 6 | ((tensile near modulus) near elasticity) and (ethylene near ethyl near acrylate) | USPAT; EPO; JPO; DERWENT; USOCR |
| 5 | BRS | 139818 | polyolefin | USPAT; EPO; JPO; DERWENT; USOCR |
| 6 | BRS | 194042 | polyamide | USPAT; EPO; JPO; DERWENT; USOCR |
| 7 | BRS | 32459 | polyolefin and polyamide | USPAT; EPO; JPO; DERWENT; USOCR |
| 3 | BRS | 56 | elasticity) and (polyolefin and | USPAT; EPO; JPO; DERWENT; USOCR |
|) · | BRS | 895908 | flexible | USPAT; EPO; JPO; DERWENT; USOCR |
| 0 | BRS · | 169422 | hose | USPAT; EPO; JPO; DERWENT; USOCR |
| 1 | BRS 2 | 2 | modulus) near elasticity) and | USPAT; EPO; JPO; DERWENT; USOCR |
| 2 | BRS 1 | 12 | modulus) near elasticity) and | USPAT; EPO; JPO; DERWENT; JSOCR |
| 3 | BRS 2 | | elasticity) and hose | JSPAT; EPO; JPO; DERWENT; JSOCR |

| | Туре | Hits | Search Text | DBs |
|----|-------|-------------|--|---------------------------------------|
| 14 | BRS | 13637 | 2 tubing | USPAT; EPO; JPO; DERWENT USOCR |
| 15 | BRS | 15 | ((tensile near modulus) near elasticity) and tubing | USPAT; EPO; JPO; DERWENT; USOCR |
| 16 | BRS | 135539 9 | tube | USPAT; EPO; JPO; DERWENT; USOCR |
| 17 | BRS | 988894 | pipe | USPAT; EPO; JPO; DERWENT; USOCR |
| 18 | BRS | 28 | polyolefin and (((tensile near modulus) near elasticity) and tube) | USPAT; EPO; JPO; DERWENT; USOCR |
| 19 | BRS | 129 | ((tensile near modulus) near elasticity) and tube | USPAT; EPO; JPO; DERWENT; USOCR |
| 20 | BRS | 171906 | washer | USPAT; EPO; JPO; DERWENT; USOCR |
| 21 | BRS | 305455 | car | USPAT; EPO; JPO; DERWENT; USOCR |
| 22 | BRS | 235802 | motor near vehicle | USPAT; EPO; JPO; DERWENT; USOCR |
| 23 | BRS | 6751 | washer and car | USPAT; EPO; JPO; DERWENT; USOCR |
| 24 | BRS ! | 5825 | washer and (motor near vehicle) | USPAT; EPO; JPO; DERWENT; USOCR |
| 5 | BRS | | (washer and car) or (washer and (motor near vehicle)) | USPAT; EPO; JPO; DERWENT; USOCR |
| 6 | BRS 4 | l11 (| elasticity and ((washer and car) or (washer and (motor near vehicle))) | USPAT; EPO; JPO; DERWENT; USOCR |

| | Туре | Hits | Search Text | DBs |
|-----------|-------|-------------|---|---------------------------------------|
| 27 | BRS | 1 | ((tensile near modulus) near elasticity) and ((washer and car) or (washer and (motor near vehicle))) | USPAT; EPO; JPO; DERWENT USOCR |
| 28 | BRS | 110146 2 | fluid | USPAT; EPO; JPO; DERWENT USOCR |
| 29 | BRS | 21882 | fluid and car | USPAT; EPO; JPO; DERWENT; USOCR |
| 30 | BRS | 22632 | fluid and (motor near vehicle) | USPAT; EPO; JPO; DERWENT; USOCR |
| 31 | BRS | 42158 | (fluid and car) or (fluid and (motor near vehicle)) | USPAT; EPO; JPO; DERWENT; USOCR |
| 32 | BRS | 3 | ((fluid and car) or (fluid and (motor near vehicle))) and ((tensile near modulus) near elasticity) | USPAT; EPO; JPO; DERWENT; USOCR |
| 33 | BRS | 15 | tubing and ((tensile near modulus) near elasticity) | USPAT; EPO; JPO; DERWENT; USOCR |
| 34 | BRS | 816 | | USPAT; EPO; JPO; DERWENT; USOCR |
| 35 | BKS | | flexible or flexibility | USPAT; EPO; JPO; DERWENT; USOCR |
| 86 | BRS | 178 | elasticity) and (flexible or | USPAT; EPO; JPO; DERWENT; USOCR |
| 7 | BRS 2 | 223046 | polyamide , | USPAT; EPO; JPO; DERWENT; USOCR |
| 8 | BRS 1 | 591 | polyamide same "612" | USPAT; EPO; JPO; DERWENT; USOCR |

| | Тур | Hits | Search Text | DBs |
|-----------|-----|-------|--|---------------------------------------|
| 39 | BRS | 184 | polyamide same "1012" | USPAT; EPO; JPO; DERWENT USOCR |
| 40 | BRS | 29501 | polyamide same "12" | USPAT; EPO; JPO; DERWENT; USOCR |
| 41 | BRS | 23331 | polyamide same "11" | USPAT; EPO; JPO; DERWENT; USOCR |
| 42 | BRS | 263 | polyamide same "1212" | USPAT; EPO; JPO; DERWENT; USOCR |
| 43 | BRS | 1447 | (tensile near modulus) same elasticity | USPAT; EPO; JPO; DERWENT; USOCR |
| 44 | BRS | 0 | (polyamide same "1012") and ((tensile near modulus) same elasticity) | USPAT; EPO; JPO; DERWENT; USOCR |
| 45 | BRS | 0 | (polyamide same "1212") and ((tensile near modulus) same elasticity) | USPAT; EPO; JPO; DERWENT; USOCR |
| 16 | BRS | 338 | polyamide and ((tensile near modulus) same elasticity) | USPAT; EPO; JPO; DERWENT; USOCR |
| 17 | BRS | 7 | (polyamide same "612") and ((tensile near modulus) same elasticity) | USPAT; EPO; JPO; DERWENT; USOCR |
| 8 | BRS | 71 | (polyamide same "11") and ((tensile near modulus) same elasticity) | USPAT; EPO; JPO; DERWENT; USOCR |
| 9 | BRS | 89 | (polyamide same "12") and ((tensile near modulus) same elasticity) | USPAT; EPO; JPO; DERWENT; USOCR |
| 0 | BRS | 264 | nylon and ((tensile near modulus same elasticity) | USPAT; EPO; JPO; DERWENT; USOCR |

| | Туре | Hits | Search Text | DBs |
|-----------|------|----------|--|--|
| 51 | BRS | 8747 | ldpe | USPAT; US-PGPUB; EPO JPO; DERWENT; USOCR |
| 52 | BRS | 338 | (polyamide and ((tensile near modulus) same elasticity)) | USPAT; EPO; JPO; DERWENT; USOCR |
| 53 | BRS | 153 | styrene near ethylene near butene | USPAT; EPO; JPO; DERWENT; USOCR |
| 54 | BRS | 77 | polyalkenylene | USPAT; EPO; JPO; DERWENT; USOCR |
| 55 | BRS | 7 | ((polyamide and ((tensile near modulus) same elasticity))) and ldpe | USPAT; EPO; JPO; DERWENT; USOCR |
| 56 | BRS | 11 | (nylon and ((tensile near modulus) same elasticity)) and ldpe | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
| 57 | BRS | 0 | ((polyamide and ((tensile near modulus) same elasticity))) and polyalkenylene | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
| 58 | BRS | 0 | (nylon and ((tensile near modulus) same elasticity)) and polyalkenylene | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
| 59 | BRS | 0 | (nylon and ((tensile near modulus) same elasticity)) and (styrene near ethylene near butene) | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
| 60 | BRS | D | ((polyamide and ((tensile near modulus) same elasticity))) and (styrene near ethylene near butene) | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |

| | Туре | Hits | Search Text | DBs |
|----------|-------|--------------------|---|--|
| 1 | BRS | 22700 [,] | 1 polyamide | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
| 2 | BRS | 229031 | l nylon | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
| 3 | BRS | 7992 | ldpe | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
| 4 | BRS | 31321 | low near density near polyethylene | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
| 5 | BRS | 0 | polyakenylenes | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
| 6 | BRS | 0 | polyakenylene | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
| 7 | BRS | 98 | styrene near ethylene near butene near styrene | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
| } | BRS 2 | 291 | polyoctenylene | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
|) | BRS 4 | 407557 | polyamide or nylon | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |

| | Туре | Hits | Search Text | DBs |
|----|-------|-------|---|--|
| 10 | BRS | 33607 | ldpe or (low near density near polyethylene) | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
| 11 | BRS | 6199 | sebs | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
| 12 | BRS | 6247 | (styrene near ethylene near butene near styrene) or sebs | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
| 13 | BRS | 10348 | (polyamide or nylon) and (ldpe or (low near density near polyethylene)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
| 14 | BRS | 233 | (polyamide or nylon) near (ldpe or (low near density near polyethylene)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
| 15 | BRS | 1232 | (polyamide or nylon) and ((styrene near ethylene near butene near styrene) or sebs) | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
| 16 | BRS | 141 | (polyamide or nylon) and polyoctenylene | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
| 7 | BRS (| 880 | PT-JT-1011C/// Alla Labilla | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
| 8 | BRS : | 367 | or (low near density near polyethylene))) and hose | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |

| | Туре | Hits | Search Text | DBs |
|----|-------|-----------|---|--|
| 19 | BRS | 14 | ((polyamide or nylon) near (ldpe or (low near density near polyethylene))) and hose | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
| 20 | BRS | 14 | ((polyamide or nylon) near (Idpe or (low near density near polyethylene))) and hose | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
| 21 | BRS | 56 | ((polyamide or nylon) and ((styrene near ethylene near butene near styrene) or sebs)) and hose | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
| 22 | BRS | 106 | ((polyamide or nylon) and ((styrene near ethylene near butene near styrene) or sebs)) and tubing | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
| 23 | BRS | 4 | ((polyamide or nylon) and polyoctenylene) and hose | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
| 24 | BRS | 10 | ((polyamide or nylon) and polyoctenylene) and tubing | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
| 25 | BRS | 1114 | ((polyamide or nylon) and (ldpe or (low near density near polyethylene))) and pipe | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
| 26 | BRS 2 | 233 | (polyamide or nylon) near (ldpe or (low near density near polyethylene)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
| 27 | BRS 3 | 32 | ((polyamide or nylon) near (ldpe or (low near density near polyethylene))) and pipe | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |

| | Туре | Hits | Search Text | DBs |
|----|------|--------|---|--|
| 28 | BRS | 22 | ((polyamide or nylon) near (ldpe or (low near density near polyethylene))) and tubing | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
| 29 | BRS | 14 | ((polyamide or nylon) near (ldpe or (low near density near polyethylene))) and hose | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
| 30 | BRS | 32 | ((polyamide or nylon) near (Idpe or (low near density near polyethylene))) and pipe | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
| 31 | BRS | 148 | ((polyamide or nylon) and ((styrene near ethylene near butene near styrene) or sebs)) and pipe | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
| 32 | BRS | 209139 | acrylate | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
| 33 | BRS | 0 | acrylate near ((styrene near ethylene near butene near styrene) or sebs) | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
| 34 | BRS | 27 | acrylate near (Idpe or (Iow near density near polyethylene)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
| 35 | BRS | 17879 | epdm | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
| 36 | BRS | 68 | epdm near (polyamide or nylon) | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |

| | Туре | Hits | Search Text | DBs |
|----|------|------|--|--|
| 37 | BRS | 4 | (epdm near (polyamide or nylon)) and pipe | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
| 38 | BRS | 5110 | epdm and (polyamide or nylon) | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
| 39 | BRS | 721 | (epdm and (polyamide or nylon)) and pipe | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
| 40 | BRS | 40 | ((polyamide or nylon) and polyoctenylene) and pipe | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
| 41 | BRS | 0 | nylon near 63t | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
| 42 | BRS | 1 | pa near 63t | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
| 43 | BRS | 1 | polyamide near 63t | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
| 44 | BRS | 1 | polyamide near 63-t | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
| 45 | BRS | 1 | polyamide near 63-t | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |

| | Туре | Hits | Search Text | DBs |
|----|------|------|----------------------|--|
| 46 | BRS | 1 | polyamide near 6,3-t | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
| 47 | BRS | 2 | pa near 6,3-t | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
| 48 | BRS | 2 | pa near 63-t | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |

| | Туре | Hits | Search Text | DBs |
|---|------|-------------|---|--|
| 1 | BRS | 16014 | (PA or polyamide or nylon) near (6,12 or "612" or "1012" or 10,12 or "11" or "12" or 12,12 or "1212") | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
| 2 | BRS | 22892 | (PA or polyamide or nylon) near ("46" or 4,6 or "66" or 6,6 or "1010" or 10,10 or 6,3-t or 63t) | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
| 3 | BRS | 786 | ((PA or polyamide or nylon) near (6,12 or "612" or "1012" or 10,12 or "11" or "12" or 12,12 or "1212")) same acrylate | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
| 4 | BRS | 1093 | ((PA or polyamide or nylon) near ("46" or 4,6 or "66" or 6,6 or "1010" or 10,10 or 6,3-t or 63t)) same acrylate | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
| 5 | BRS | 318540 8 | tube or tubing or pipe | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
| 6 | BRS | 5110 | ((PA or polyamide or nylon) near (6,12 or "612" or "1012" or 10,12 or "11" or "12" or 12,12 or "1212")) and (tube or tubing or pipe) | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
| 7 | BRS | 6074 | ((PA or polyamide or nylon) near ("46" or 4,6 or "66" or 6,6 or "1010" or 10,10 or 6,3-t or 63t)) and (tube or tubing or pipe) | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
| 8 | BRS | 396 | (((PA or polyamide or nylon) near ("46" or 4,6 or "66" or 6,6 or "1010" or 10,10 or 6,3-t or 63t)) same acrylate) and (((PA or polyamide or nylon) near ("46" or 4,6 or "66" or 6,6 or "1010" or 10,10 or 6,3-t or 63t)) and (tube or tubing or pipe)) | USPAT; US-PGPUB; EPO; |

•

| | Туре | Hits | Search Text | DBs |
|-----------|------|-------------|--|--|
| 9 | BRS | 308 | (((PA or polyamide or nylon) near (6,12 or "612" or "1012" or 10,12 or "11" or "12" or 12,12 or "1212")) same acrylate) and (((PA or polyamide or nylon) near (6,12 or "612" or "1012" or 10,12 or "11" or "12" or 12,12 or "1212")) and (tube or tubing or | USPAT; US-PGPUB; EPO; JPO; DERWENT; |
| 10 | BRS | 346952 | medical | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
| 11 | BRS | 816164 | alcohol | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
| 12 | BRS | 110177 3 | aqueous | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
| 13 | BRS | 29561 | medical same (tube or tubing or pipe) | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
| 14 | BRS | 39749 | alcohol same (tube or tubing or pipe) | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
| 15 | BRS | 72172 | aqueous same (tube or tubing or pipe) | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |

`

| | Туре | Hits | Search Text | DBs |
|----|------|------|--|--|
| 16 | BRS | 18 | ((((PA or polyamide or nylon) near ("46" or 4,6 or "66" or 6,6 or "1010" or 10,10 or 6,3-t or 63t)) same acrylate) and (((PA or polyamide or nylon) near ("46" or 4,6 or "66" or 6,6 or "1010" or 10,10 or 6,3-t or 63t)) and (tube or tubing or pipe))) and (medical same (tube or tubing or pipe)) | USPAT; |
| 17 | BRS | 36 | ((((PA or polyamide or nylon) near ("46" or 4,6 or "66" or 6,6 or "1010" or 10,10 or 6,3-t or 63t)) same acrylate) and (((PA or polyamide or nylon) near ("46" or 4,6 or "66" or 6,6 or "1010" or 10,10 or 6,3-t or 63t)) and (tube or tubing or pipe))) and (alcohol same (tube or tubing or pipe)) | USPAT; |
| 18 | BRS | 64 | ((((PA or polyamide or nylon) near ("46" or 4,6 or "66" or 6,6 or "1010" or 10,10 or 6,3-t or 63t)) same acrylate) and (((PA or polyamide or nylon) near ("46" or 4,6 or "66" or 6,6 or "1010" or 10,10 or 6,3-t or 63t)) and (tube or tubing or pipe))) and (aqueous same (tube or tubing or pipe)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
| 19 | BRS | 14 | ((((PA or polyamide or nylon) near (6,12 or "612" or "1012" or 10,12 or "11" or "12" or 12,12 or "1212")) same acrylate) and (((PA or polyamide or nylon) near (6,12 or "612" or "1012" or 10,12 or "11" or "12" or 12,12 or "1212")) and (tube or tubing or pipe))) and (medical same (tube or tubing or pipe)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |

. ,

| | Туре | Hits | Search Text | DBs |
|----|------|-----------|--|--|
| 20 | BRS | 23 | ((((PA or polyamide or nylon) near (6,12 or "612" or "1012" or 10,12 or "11" or "12" or 12,12 or "1212")) same acrylate) and (((PA or polyamide or nylon) near (6,12 or "612" or "1012" or 10,12 or "11" or "12" or 12,12 or "1212")) and (tube or tubing or pipe))) and (alcohol same (tube or tubing or pipe)) | |
| 21 | BRS | 59 | ((((PA or polyamide or nylon) near (6,12 or "612" or "1012" or 10,12 or "11" or "12" or 12,12 or "1212")) same acrylate) and (((PA or polyamide or nylon) near (6,12 or "612" or "1012" or 10,12 or "11" or "12" or 12,12 or "1212")) and (tube or tubing or pipe))) and (aqueous same (tube or tubing or pipe)) | |
| 22 | BRS | 107453 | medical and (tube or tubing or pipe) | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
| 23 | BRS | 14238 | extractable | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
| 24 | BRS | 156 | (((PA or polyamide or nylon) near ("46" or 4,6 or "66" or 6,6 or "1010" or 10,10 or 6,3-t or 63t)) and (tube or tubing or pipe)) and extractable | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
| 25 | BRS | 89 | (((PA or polyamide or nylon) near (6,12 or "612" or "1012" or 10,12 or "11" or "12" or 12,12 or "1212")) and (tube or tubing or pipe)) and extractable | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |

| | Туре | Hits | Search Text | DBs |
|----|------|------------|---|--|
| 26 | BRS | 220 | ((PA or polyamide or nylon) near (6,12 or "612" or "1012" or 10,12 or "11" or "12" or 12,12 or "1212")) same polyacrylate | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
| 27 | BRS | 343 | ((PA or polyamide or nylon) near ("46" or 4,6 or "66" or 6,6 or "1010" or 10,10 or 6,3-t or 63t)) same polyacrylate | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
| 28 | BRS | 0 | (((PA or polyamide or nylon) near (6,12 or "612" or "1012" or 10,12 or "11" or "12" or 12,12 or "1212")) same polyacrylate) and (tube or tubing or pipe) and extractable | USPAT; US-PGPUB; EPO; |
| 29 | BRS | 11 | (((PA or polyamide or nylon) near ("46" or 4,6 or "66" or 6,6 or "1010" or 10,10 or 6,3-t or 63t)) same polyacrylate) and (tube or tubing or pipe) and extractable | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
| 30 | BRS | 95 | (((PA or polyamide or nylon) near (6,12 or "612" or "1012" or 10,12 or "11" or "12" or 12,12 or "1212")) same polyacrylate) and (tube or tubing or pipe) | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
| 31 | BRS | 121 | (((PA or polyamide or nylon) near ("46" or 4,6 or "66" or 6,6 or "1010" or 10,10 or 6,3-t or 63t)) same polyacrylate) and (tube or tubing or pipe) | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
| 32 | BRS | 3864 | ((PA or polyamide or nylon) near (6,12 or "612" or "1012" or 10,12 or "11" or "12" or 12,12 or "1212")) same polyethylene | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
| 33 | BRS | 1932 | ((PA or polyamide or nylon) near (6,12 or "612" or "1012" or 10,12 or "11" or "12" or 12,12 or "1212")) same polyolefin | i ' |

٠

-

| | Туре | Hits | Search Text | DBs |
|----|------|------------|--|--|
| 34 | BRS | 9241 | (((PA or polyamide or nylon) near (6,12 or "612" or "1012" or 10,12 or "11" or "12" or 12,12 or "1212")) and (tube or tubing or pipe)) or (((PA or polyamide or nylon) near ("46" or 4,6 or "66" or 6,6 or "1010" or 10,10 or 6,3-t or 63t)) and (tube or tubing or pipe)) | |
| 35 | BRS | 1409 | (((PA or polyamide or nylon) near (6,12 or "612" or "1012" or 10,12 or "11" or "12" or 12,12 or "1212")) same polyethylene) and ((((PA or polyamide or nylon) near (6,12 or "612" or "1012" or 10,12 or "11" or "12" or 12,12 or "1212")) and (tube or tubing or pipe)) or (((PA or polyamide or nylon) near ("46" or 4,6 or "66" or 6,6 or "1010" or 10,10 or 6,3-t or 63t)) and (tube or tubing or pipe))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
| 36 | BRS | 751 | (((PA or polyamide or nylon) near (6,12 or "612" or "1012" or 10,12 or "11" or "12" or 12,12 or "1212")) same polyolefin) and ((((PA or polyamide or nylon) near (6,12 or "612" or "10,12 or "11" or "12" or 12,12 or "1212")) and (tube or tubing or pipe)) or (((PA or polyamide or nylon) near ("46" or 4,6 or "66" or 6,6 or "1010" or 10,10 or 6,3-t or 63t)) and (tube or tubing or pipe))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |

| | Туре | Hits | Search Text | DBs |
|----|------|------|---|--|
| 37 | BRS | 14 | ((((PA or polyamide or nylon) near (6,12 or "612" or "1012" or 10,12 or "11" or "12" or 12,12 or "1212")) same polyolefin) and ((((PA or polyamide or nylon) near (6,12 or "612" or "1012" or 10,12 or "11" or "12" or 12,12 or "1212")) and (tube or tubing or pipe)) or (((PA or polyamide or nylon) near ("46" or 4,6 or "66" or 6,6 or "1010" or 10,10 or 6,3-t or 63t)) and (tube or tubing or pipe))))) and extractable | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
| 38 | BRS | 23 | ((((PA or polyamide or nylon) near (6,12 or "612" or "1012" or 10,12 or "11" or "12" or 12,12 or "1212")) same polyethylene) and ((((PA or polyamide or nylon) near (6,12 or "612" or "1012" or 10,12 or "11" or "12" or 12,12 or "1212")) and (tube or tubing or pipe)) or (((PA or polyamide or nylon) near ("46" or 4,6 or "66" or 6,6 or "1010" or 10,10 or 6,3-t or 63t)) and (tube or tubing or pipe))))) and extractable | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
| 39 | BRS | 903 | extractable same alcohol | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
| 40 | BRS | 17 | (extractable same alcohol) and ((PA or polyamide or nylon) near (6,12 or "612" or "1012" or 10,12 or "11" or "12" or 12,12 or "1212")) | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
| 41 | BRS | 20 | (extractable same alcohol) and ((PA or polyamide or nylon) near ("46" or 4,6 or "66" or 6,6 or "1010" or 10,10 or 6,3-t or 63t)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |

| | Туре | Hits | Search Text | DBs |
|----|------|------|---|--|
| 42 | BRS | 11 | ((extractable same alcohol) and ((PA or polyamide or nylon) near (6,12 or "612" or "1012" or 10,12 or "11" or "12" or 12,12 or "1212"))) and (tube or tubing or pipe) | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |
| 43 | BRS | 16 | ((extractable same alcohol) and ((PA or polyamide or nylon) near ("46" or 4,6 or "66" or 6,6 or "1010" or 10,10 or 6,3-t or 63t))) and (tube or tubing or pipe) | USPAT; US-PGPUB; EPO; JPO; DERWENT; USOCR |